Max Planck Research Group
Epistemes of Modern Acoustics

Sound & Science: Digital Histories

Webster, Arthurd Gordon. “Acoustical Impedance, And the Theory of Horns and of the Phonograph.“ Proceedings of the National Academy of Science of the United States of America 5, no.7 (1919): 275-282.

https://acoustics.mpiwg-berlin.mpg.de/node/403

Scan licensed under: CC BY-SA 3.0 DE | Max Planck Institute for the History of Science

MAX PLANCK INSTITUTE
FOR THE HISTORY OF SCIENCE

ACOUSTICAL IMPEDANCE, AND THE THEORY OF HORNS AND OF THE PHONOGRAPH

By Arthur Gordon Webster

Department of Physics, Clark University

Communicated, May 8, 1919*

The introduction more than thirty years ago of the term 'impedance' by Mr. Oliver Heaviside has been productive of very great convenience in the theory of alternating currents of electricity. Unfortunately, engineers have not seemed to notice that the idea may be made as useful in mechanics and acoustics as in electricity. In fact, in such apparatus as the telephone one may combine the notions of electrical and mechanical impedance with great advantage. Whenever we have permanent vibrations of a single given frequency, which is here denoted, as usual, by $n/2\pi$, the notion of impedance is valuable in replacing all the quantities involved in the reactions of the system by a single complex number. If we follow the convenient practice of denoting an oscillating quantity by e^{int} and taking its real part (as introduced by Cauchy) all the derivatives of e^{int} are obtained by multiplication by powers of in, or graphically by advancing the representative vector by the proper number of right angles.

If we have any oscillating system into which a volume of air X periodically enters under an excess pressure p, I propose to define the impedance by the *complex* ratio $Z = p/X$. If we call $dX/dt = I$ the current as in electricity, if we followed electrical analogy we should write $Z = pI$ so that the definition as given above makes our impedance lead by a right angle the usual definition. I believe this to be more convenient for our purposes than the usual definition and it need cause no confusion.

If we have a vibrating piston of area S as in the phonometer, we shall refer its motion to the volume $S\xi$ it carries with it and the force acting on it to the pressure, so that $F = Sp$. The differential equation of the motion is

$$m\frac{d^2\xi}{dt^2} + \kappa\frac{d\xi}{dt} + f\xi = F = Sp, \qquad X = S\xi, \tag{1}$$

we have

$$Z_1 = (f - mn^2 + i\kappa n)/S^2, \tag{2}$$

where m is the mass, κ the damping, f the stiffness. The real part of S^2Z, $f - mn^2$, is the uncompensated stiffness, which is positive in a system tuned too high, when the displacement lags behind the force, by an angle between zero and one right angle, negative when the system is tuned too low, when the

* This article was read in December 1914 at the meeting of the American Physical Society at Philadelphia, and has been held back because of the continual development of the experimental apparatus described in a previous paper in these Proceedings.

lag is between one and two right angles, as shown in figure 1. If we force air into a chamber of volume V, the compression $s = X/V$ will be related to the excess pressure p by the relation $p = es$, where e is the modulus of elasticity of the air $e = \rho a^2$, ρ being the density and a the velocity of sound. Consequently we have

$$Z_0 = \frac{e}{V} = \frac{\rho a^2}{V}, \tag{3}$$

and the analogy is to a condenser. If we have air passing through an orifice or short tube of conductivity c its inertia gives an apparent mass ρ/c, and if it




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

escapes from a circular hole in an infinite plane it dissipates energy so that the whole impedance credited to the hole is

$$Z_2 = -\frac{\rho n^2}{c} + \frac{\rho n^3}{2\pi a} i = ek^2 \left\{ \frac{k}{2V} i - \frac{1}{c} \right\}, \text{ where } k = \frac{n}{a}. \tag{4}$$

These three typical impedances will be at constant use in acoustics. It is to be remembered that systems in series have their impedances added and in parallel have the reciprocals of impedance added. Also that the free vibrations of a system are obtained by equating the impedances to zero.

As a simple example consider the phone described in the previous article figure 3.

Let $X_1 = S\xi$ be the volume introduced by the piston X_2 that entering by the hole. Then

$$p = Z_0 (X_1 + X_2) = - Z_2 X_2, \tag{5}$$

$$X_2 = \frac{- Z_0}{Z_0 + Z_2} X_1,$$

and inserting values,

$$X_2 = - \frac{S\xi}{1 + Vk^2 \left(\frac{ki}{2\pi} - \frac{1}{c} \right)} \tag{6}$$

Disregarding phase by taking the modulus and putting $k = n/a$ we have the phone formula for the strength of source.

$$A = \left| \frac{dX}{dt} \right| = S \Psi \mid \xi \mid, \tag{7}$$

where

$$\Psi = \frac{n}{\left\{ \left(1 - \frac{Vk^2}{c} \right)^2 + \frac{V^2 k^6}{4\pi^2} \right\}^{\frac{1}{2}}} \tag{8}$$

If instead of sending the air out through a hole it goes into a cone or any other horn, we must use for the impedance Z_2 that given below, and we arrive at the theory of the phonograph, and are thus able to answer the question as to the function of the horn in persuading the sound to come out of the phonograph when the motion of the diaphragm is given (it is well known that very little sound is emitted by the phonograph or the telephone with the horn taken off, although in the former case the motion of the diaphragm is exactly the same).

The phonometer was formerly arranged with the back of the diaphragm protected from the sound, figure 3. Let P be the external pressure, then, as before,

$$p = Z_0 (X_1 + X_2) \tag{9}$$

and in addition,

$$\begin{aligned} -p &= Z_1 X_1, \\ P - p &= Z_2 X_2, \end{aligned} \tag{10}$$

from which

$$X_1 = \frac{- PZ_0}{Z_0 Z_1 + Z_1 Z_2 + Z_2 Z_0}, \tag{11}$$

giving the formula for the measurement of the pressure,

$$P = \varphi \xi / S \tag{12}$$

$$\varphi = \frac{\gamma}{[\{u\nu - (\alpha\beta + \gamma^2)\}^2 + \{\beta u + \alpha\nu\}^2]^{\frac{1}{2}}} \tag{13}$$

and φ may be termed the sensitiveness of the phonometer. Where

$$\gamma = S^2 Z_0 = S^2 \rho a^2 / V, \qquad \alpha = \kappa n, \qquad \beta = S^2 \rho n^3 / 2\pi a,$$

$$u = f - n^2 m + S^2 \rho a^2 / V, \qquad v = S^2 \{\rho a^2 / V - \rho u^2 / c\} = S^2 Z_0 (1 - k^2 V / c) \quad (14)$$

As described in my recent article the back of the piston is exposed to the sound, figure 4. Then

$$\begin{aligned} P - p &= Z_1 X_1 = Z_2 X_2 \\ p &= Z_0 (X_1 + X_2) \end{aligned} \quad (15)$$

from which

$$X_1 = \frac{Z_2 P}{Z_0 Z_1 + Z_1 Z_2 + Z_2 Z_0} \quad (16)$$

$$\varphi = \left[\frac{(v - \gamma)^2 + \beta^2}{\{uv - (\alpha\beta + \gamma^2)\}^2 + (\alpha v + \beta u)^2} \right]^{\frac{1}{2}}, \quad (17)$$

Tubes and Horns.—Beside the above described phone and phonometer, the theory of which assumed a resonator so small that the pressure is supposed to be the same at every internal point, I have made use of many arrangements employing tubes or cones, in which we must take account of wave-motion. The familiar theory of cylindrical pipes may be included in the following generalized theory, which I have found experimentally to serve well.

Let us consider a tube of infinitesimal cross section σ varying as a function of the distance x from the end of the tube. Then if q is the displacement of the air, p the pressure, s the compression, we have the fundamental equations

$$p = es = \rho a^2 s = -e \operatorname{div} q = -\frac{e}{\sigma} \frac{d(q\sigma)}{dx}, \quad (18)$$

$$\frac{d^2 p}{dt^2} = a^2 \Delta p = a^2 \operatorname{div} \operatorname{grad} p = a^2 \left\{ \frac{1}{\sigma} \frac{d}{dx} \left(\sigma \frac{dp}{dx} \right) \right\} \quad (19)$$

$$\frac{d^2 q}{dt^2} = -\frac{1}{\rho} \frac{dp}{dx} = a^2 \frac{d}{dx} \left\{ \frac{1}{\sigma} \frac{d}{dx} (q\sigma) \right\}. \quad (20)$$

For a simple periodic motion we put p, q proportional to e^{int}, and obtain

$$\frac{d^2 p}{dx^2} + \frac{d \log \sigma}{dx} \frac{dp}{dx} + k^2 p = 0, \quad \frac{d^2 q}{dt^2} + \frac{d \log \sigma}{dx} \frac{dq}{dx} + \frac{d^2 \log \sigma}{dx^2} q + k^2 q = 0. \quad (21)$$

Both these linear equations may be solved by means of series, and if we call $u(kx)$, $v(kx)$ two independent solutions we have

$$p = Au + Bv, \quad \beta q = Au' + Bv', \quad \beta = \rho a^2 k,$$

where the accents signify differentiation according to kx. If we denote values at one end $x = x_1$ and at the other end $x = x_2$ by suffixes 1, 2, respectively, and form the determinants

$$D_1 = \begin{vmatrix} u_1, v_1 \\ u_1', v_1' \end{vmatrix}, \quad D_2 = \begin{vmatrix} u_2, v_2 \\ u_2', v_2' \end{vmatrix}, \quad D_3 = \begin{vmatrix} u_1, v_1 \\ u_2, v_2 \end{vmatrix},$$
$$D_4 = \begin{vmatrix} u_2, v_2 \\ u_1, v_1 \end{vmatrix}, \quad D_5 = \begin{vmatrix} u_1, v_1 \\ u_2, v_2 \end{vmatrix}, \quad D_6 = \begin{vmatrix} u_1', v_1' \\ u_2, v_2 \end{vmatrix}, \tag{22}$$

which satisfy the relation,

$$D_1 D_2 = D_3 D_4 + D_5 D_6$$

we may determine the constants A, B in terms of any two out of p_1, q_1, p_2, q_2, so that we obtain

$$\begin{aligned} p_2 &= (p_1 D_4 + \beta q_1 D_5)/D_1, & \beta q_2 &= (-p_1 D_6 + \beta q_1 D_3)/D_1, \\ p_1 &= (p_2 D_3 - \beta q_2 D_5)/D_2, & \beta q_1 &= (p_2 D_6 + \beta q_2 D_4)/D_2. \end{aligned} \tag{23}$$

As it is more convenient to deal with the volumes $X_1 = \sigma_1 q_1$, $X_2 = \sigma_2 q_2$ we shall have in general

$$p_2 = a p_1 + b X_1, \quad X_2 = c p_1 + d X_1, \tag{24}$$

where

$$a = \frac{D_4}{D_1}, \quad b = \frac{\beta}{\sigma_1}\frac{D_5}{D_1} \quad c = -\frac{\sigma_2}{\beta}\frac{D_6}{D_1}, \quad d = \frac{\sigma_2}{\sigma_1}\frac{D_3}{D_1}, \quad ad - bc = \frac{\sigma_2}{\sigma_1}\frac{D_2}{D_1},$$

and for the impedances belonging to the ends of the tube

$$Z_2 = \frac{aZ_1 + b}{cZ_1 + d_1}, \qquad Z_1 = \frac{dZ_2 - b}{-cZ_2 + a}, \tag{25}$$

so that the impedance at either end of the tube is a linear fractional function of the other. According to the apparatus attached to an end the impedance attached to that end is known. A tube for which a, b, c, d are given may be replaced by any other tube having the same constants.

Examples.—Cylindrical tube, σ constant. Put $x_2 - x_1 = Z_1$,

$$\frac{d^2 p}{dx^2} + k^2 p = 0,$$

$$u = \cos kx, \qquad r = \sin kx, \qquad u' = -\sin kx, \qquad v' = \cos kx, \tag{26}$$

$$D_1 = D_2 = 1, \qquad D_3 = D_4 = \cos kl, \qquad D_5 = D_6 = \sin kl, \tag{27}$$

$$a = d = \cos kl, \qquad b = \frac{\beta}{\sigma}\sin kl, \qquad c = -\frac{\sigma}{\beta}\sin kl,$$

$$Z_2 = \frac{\beta}{\sigma}\frac{Z_1 \cos kl + \frac{\beta}{\sigma}\sin kl}{-Z_1 \sin kl + \frac{\beta}{\sigma}\cos kl}, \qquad Z_1 = \frac{\beta}{\sigma}\frac{Z_2 \cos kl - \frac{\beta}{\sigma}\sin kl,}{Z_2 \sin kl + \frac{\beta}{\sigma}\cos kl} \tag{28}$$

Conical tube, $\sigma = \sigma_0 x^2$

$$\frac{d^2p}{dx^2} + \frac{2}{x}\frac{dp}{dx} + k^2 x = 0 \tag{29}$$

$$u = \frac{\cos kx}{kx}, \quad v = \frac{\sin kx}{kx}, \quad u' = -\left(\frac{\sin kx}{kx} + \frac{\cos kx}{k^2x^2}\right), \quad v' = \frac{\cos kx}{kx} - \frac{\sin kx}{k^2x^2}$$

$$D_1 = \frac{1}{k^2 x_1^2}, \quad D_2 = \frac{1}{k^2 x_2^2}, \quad D_2 = \frac{\cos kl}{k^2 x_1 x_2},$$

$$D_4 = \frac{\cos kl}{k^2 x_1 x_2} + \frac{\sin kl}{k^3 x_1 x_2^2}, \quad D_5 = \frac{\sin kl}{k^2 x_1 x_2}$$

and if we introduce two lengths ϵ_1, ϵ_2, defined by the equations

$$\tan k\epsilon_1 = kx_1, \qquad \tan k\epsilon_2 = kx_2,$$

we easily get

$$a = \frac{x_1}{x_2}\frac{\sin k(l+\epsilon_1)}{\sin k\epsilon_1}, \qquad b = \frac{\beta}{\sigma_1}\frac{x_1}{x_2}\sin kl, \tag{30}$$

$$c = -\frac{\sigma_2}{\beta}\frac{x_1}{x_2}\frac{\sin k(l+\epsilon_1-\epsilon_2)}{\sin k\epsilon_1 \sin k\epsilon_2}, \qquad d = \frac{\sigma_2}{\sigma_1}\frac{x_1}{x_2}\frac{\sin k(l-\epsilon_2)}{\sin k\epsilon_2}, \tag{31}$$

$$Z_2 = -\frac{\beta}{\sigma_2}\frac{Z_1\dfrac{\sin k(l+\epsilon_1)}{\sin k\epsilon_1} + \dfrac{\beta}{\sigma_1}\sin kl,}{Z_1\dfrac{\sin k(l+\epsilon_1-\epsilon_2)}{\sin k\epsilon_1 \sin k\epsilon_2} + \dfrac{\beta}{\sigma_1}\dfrac{\sin k(l-\epsilon_2)}{\sin k\epsilon_2}}$$

$$Z_1 = -\frac{\beta}{\sigma_1}\frac{Z_2\dfrac{\sin k(l-\epsilon_1)}{\sin k\epsilon_2} + \dfrac{\beta}{\sigma_2}\sin kl}{Z_2\dfrac{\sin k(l+\epsilon_1-\epsilon_2)}{\sin k\epsilon_1 \sin k\epsilon_2} + \dfrac{\beta}{\sigma_2}\dfrac{\sin k(l+\epsilon_1)}{\sin k\epsilon_2}} \tag{32}$$

The formulae (31), (32) were used by Professor G. W. Stewart in designing horns to be used during the war.

It is not true, as is frequently stated in books on musical instruments, that the brass instruments of the orchestra are hyperbolic in profile, but I have found for all practical purposes the bell of every instrument may be represented by one of the three formulae

$$\sigma = \sigma_0 x^n, \qquad \sigma = \sigma_0 e^{-mx}, \qquad \sigma = \sigma_0 e^{-mx^2}$$

Even if an equation cannot be given to the profile the differential equation may be easily integrated graphically, or the length may be divided up into sections and different values of n used for different sections, as is customary in the theory of ballistics.

Case 1. $\sigma = \sigma_0 x^n$. (Change units so that $k = 1$)

$$\frac{d^2p}{dx^2} + \frac{n}{x}\frac{dp}{dx} + p = 0, \qquad \frac{d^2X}{dx^2} - \frac{n}{x}\frac{dX}{dx} + X = 0 \tag{34}$$

We have

$$p = J_{\pm\frac{n-1}{2}}(x)/x^{\frac{n-1}{2}}, \qquad X = J_{\pm\frac{n+1}{2}}(x)x^{\frac{n+1}{2}}, \tag{35}$$

Examples.

$$n = 0, \qquad n = 2, \qquad n = -2$$

$$J_{\frac{1}{2}}(x) = \sin x/\sqrt{x}, \qquad J_{\frac{3}{2}}(x) = \sin x/\sqrt{x^3} - \cos x/\sqrt{x},$$

$$J_{-\frac{1}{2}}(x) = \cos x/\sqrt{x}, \qquad J_{-\frac{3}{2}}(x) = -\sin x/\sqrt{x} - \cos x/\sqrt{x^3}$$

These include the straight cylinder, the straight cone, and the purely hyperbolic horn. In the latter case we have figure 5, where x_1, is the bell. If the horn is closed at x_2 we have

$$Z_2 = \infty$$

$$Z_1 = ck^2\left\{\frac{1}{c} - \frac{k}{2\pi}i\right\} = -\frac{d}{c} = \frac{(\sin kl + kx_1\cos kl)\,\beta x_1}{\sigma_0 k \sin kl_1}$$

and if we put $\xi = kl$

$$\operatorname{ctn}\xi = \frac{\sigma_1}{lc}\xi - \frac{l}{x_1}\frac{1}{\xi}, \tag{36}$$

which may be easily discussed graphically.

On the other hand if the horn is open at x_2 we have

$$\tan\xi/\xi = \left(1 - \frac{\sigma x_1 x_2}{cl^3}\xi^2\right)\Big/\left(1 + \xi^2\left\{\frac{x_1x_2}{l^2} - \frac{\sigma_1 x_1}{cl^2}\right\}\right). \tag{37}$$

These formulae were confirmed experimentally by my then assistant Dr. H. K. Stimson in 1915 on a coach-horn, a trombone, and a phonograph horn, with the following results:

		CALCULATED	OBSERVED
For the coach-horn	Closed	177	181
	Open	254	202
For the trombone	Closed	286	305
	Open	418	432
For the phonograph	Closed	311	304
	Open	329	415

These results give a fair agreement considering that we have used for the conductivity of the mouth the simple formula $c = 0.6\ R$ which is true only for cross-sections infinitesimal compared with the wave-length, whereas in the case of the wooden phonograph horn, the actual radius is nearly one-fourth of the wave-length.

A paper on the subject of the impedance of such an end will shortly appear.

In the case of an exponential section we have

$$\sigma = \sigma_0 e^{-mx}$$

$$\frac{d^2p}{dx^2} + m\frac{dp}{dx} + p = 0, \qquad \frac{d^2X}{dx^2} - m\frac{dX}{dx} + X = 0,$$

$$p = e^{-\sqrt{4-k^2}x}\{A\cos kx + B\sin kx\},$$

$$X = e^{-\sqrt{4-k^2}x}\{C\cos kx + D\sin kx\}.$$

and it is noticeable that the pressure vanishes at the same cross-section as for a straight tube.

Finally, in the case

$$\sigma = \sigma_0 e^{-mx^2}$$

we may solve the equation by means of the confluent hyper-geometric function.

It is to be noticed that in none of these cases, except the straight tube, are the different overtones harmonic. Thus, the characteristic tone of the "brass" is not due to the substance, but is entirely a matter of geometry as is shown by the heavy casting in plaster of Paris of a trombone bell used by the writer, the tone of which cannot be distinguished from that of the brass bell. I believe this phenomenon is well known.

Inasmuch as all musical instruments are composed either of resonators combined with strings, bars, plates, and horns, I feel that the above theory, while merely an approximation as to accuracy, will go far toward enabling us to complete the theory of musical instruments. Of course, the actual tones emitted by a brass instrument will depend upon the dynamics of the lips which is reserved for a future paper.

PROCEEDINGS

OF THE

NATIONAL ACADEMY OF SCIENCES

OF THE

UNITED STATES OF AMERICA

VOLUME 5, 1919



EDITORIAL BOARD

RAYMOND PEARL, *Chairman* — EDWIN B. WILSON, *Managing Editor*
C. G. ABBOT, *Home Secretary* — GEORGE E. HALE, *Foreign Secretary*

J. M. CLARKE	H. S. JENNINGS	E. H. MOORE
H. H. DONALDSON	JACQUES LOEB	A. A. NOYES
E. B. FROST	GRAHAM LUSK	W. A. NOYES
R. A. HARPER	A. G. MAYOR	E. L. THORNDIKE
LUDVIG HEKTOEN	R. A. MILLIKAN	W. M. WHEELER

Publication Office: Williams & Wilkins Company, Baltimore
Editorial Office: Massachusetts Institute of Technology, Cambridge

Home Office of the Academy: Washington, D. C.

Reprinted with the permission of the NATIONAL ACADEMY OF SCIENCES, WASHINGTON

JOHNSON REPRINT CORPORATION
111 Fifth Avenue, New York 3, N. Y.

JOHNSON REPRINT COMPANY LIMITED
Berkeley Square House, London, W. 1

Universitätsbibliothek
Freie Universität Berlin

Z 1966. 4337

First Reprinting, 1963, Johnson, Reprint Corporation

CONTENTS

PAGE

OFFICERS AND MEMBERS OF THE ACADEMY vii
REPORT OF THE AUTUMN MEETING, 1918 87
REPORT OF THE ANNUAL MEETING, 1919 479
AWARD OF MEDALS 492
RESEARCH GRANTS FROM TRUST FUNDS OF THE ACADEMY 492
INDEX 609

NATIONAL RESEARCH COUNCIL

MINUTES OF MEETINGS OF THE EXECUTIVE BOARD 50, 91, 299, 360, 462, 532, 603
MINUTES OF JOINT MEETINGS OF THE EXECUTIVE BOARD WITH THE COUNCIL OF THE ACADEMY 180, 189, 354, 452, 523
ORGANIZATION OF THE NATIONAL RESEARCH COUNCIL 184
EXECUTIVE ORDER ISSUED BY THE PRESIDENT OF THE UNITED STATES 188
NATIONAL RESEARCH FELLOWSHIP IN PHYSICS AND CHEMISTRY 313
MEETINGS OF THE INTERIM COMMITTEE 447, 459, 469, 528, 599
ORGANIZATION OF DIVISIONS OF SCIENCE AND TECHNOLOGY 316
SOME PROBLEMS OF SIDEREAL ASTRONOMY ..... *By Henry Norris Russell* 391

MATHEMATICS

A THEOREM ON POWER SERIES, WITH AN APPLICATION TO CONFORMAL MAPPING ..... *By T. H. Gronwall* 22
TABLES OF THE ZONAL SPHERICAL HARMONIC OF THE SECOND KIND $Q_1(z)$ AND $Q_1'(z)$ .. *By A. G. Webster and Willard Fisher* 79
ON THE REAL FOLDS OF ABELIAN VARIETIES ..... *By S. Lefschetz* 103
COVARIANTS OF BINARY MODULAR GROUPS ..... *By Oliver Edmunds Glenn* 107
THE GENERAL SOLUTION OF THE INDETERMINATE EQUATION: $Ax + By + Cz + \ldots = r$ ..... *By D. N. Lehmer* 111
ON THE MOST GENERAL CLASS L OF FRÉCHET IN WHICH THE HEINE-BOREL-LEBESGUE THEOREM HOLDS TRUE ..... *By Robert L. Moore* 206
ON A CERTAIN CLASS OF RATIONAL RULED SURFACES ..... *By Arnold Emch* 222
ON THE TWIST IN CONFORMED MAPPING ..... *By T. H. Gronwall* 248
GROUPS INVOLVING ONLY TWO OPERATORS WHICH ARE SQUARES ..... *By G. A. Miller* 272
REAL HYPERSURFACES CONTAINED IN ABELIAN VARIETIES ..... *By S. Lefschetz* 296
CONDITIONS NECESSARY AND SUFFICIENT FOR THE EXISTENCE OF A STIELTJES INTEGRAL ..... *By R. D. Carmichael* 551
TRANSFORMATIONS OF CYCLIC SYSTEMS OF CIRCLES ..... *By L. P. Eisenhart* 555

ASTRONOMY

PERTURBATIONS AND TABLES OF THE MINOR PLANETS DISCOVERED BY JAMES C. WATSON *By Armin O. Leuschner* 67
EVIDENCE OF STREAM MOTION AFFORDED BY THE FAINT STARS NEAR THE ORION NEBULA *By Adriaan van Maanen* 225
ON THE USE OF THE SPECTROSCOPIC METHOD FOR DETERMINING THE PARALLAXES OF THE BRIGHTER STARS ..... *By W. S. Adams and G. Strömberg* 228

PAGE

Relation of Color to Intrinsic Luminosity in Stars of the Same Spectral Type *By Frederick H. Seares* 232

The Motions in Space of Some Stars of High Radial Velocity *By W. S. Adams and A. H. Joy* 239

Deviations of the Sun's General Magnetic Field from That of a Uniformly Magnetized Sphere *By F. H. Seares, A. van Maanen, and F. Ellerman* 242

Studies of Magnitudes in Star Clusters, IX. The Distances and Distribution of Seventy Open Clusters *By Harlow Shapley* 344

On the Distribution of the Aphelia of the Secondary Bodies of the Solar System *By C. D. Perrine* 371

Recent Simultaneous Measurements of the Solar Constant of Radiation at Mount Wilson, California, and Calama, Chile *By C. G. Abbot* 383

Some Problems of Sidereal Astronomy *By Henry Norris Russell* 391

On the Spectral Lines of a Pulsating Star *By Harlow Shapley and Seth B. Nicholson* 417

Studies of Magnitudes in Star Clusters, X. Spectral Type B and the Local Stellar System *By Harlow Shapley* 443

PHYSICS

Note on a Contact Lever, Using Achromatic Displacement Fringes *By Carl Barus* 39

Interferential Contact Lever Experiments Relating to the Elastics of Small Bodies *By Carl Barus* 44

Note on the Self-Adjusting Interferometer in Relation to the Achromatic Fringes *By Carl Barus* 53

An Adjustment in Relation to the Fresnel Coefficient *By Carl Barus* 120

Superposed or Duplicated Spectrum Fringes *By Carl Barus* 149

An Approximate Law of Energy Distribution in the General X-Ray Spectrum *By David L. Webster* 163

A Complete Apparatus for Absolute Acoustical Measurements *By Arthur Gordon Webster* 173

The Thermo-Electric Equation $P = TdV/dT$ Once More *By Edwin H. Hall* 197

On the X-Ray Absorption Wave-Lengths of Lead Isotopes *By William Duane and Takeo Shimizu* 198

An Electrodynamometer Using the Vibration Telescope *By Carl Barus* 211

A New Instrument for Measuring Pressures in a Gun *By A. G. Webster and L. T. E. Thompson* 259

On the Angle of Repose of Wet Sand *By A. G. Webster* 263

The Elongation Due to Magnetization *By C. Barus* 267

Acoustical Impedance and the Theory of Horns and of the Phonograph *By Arthur Gorgon Webster* 275

On the Possible Form of the Equation of State of Powder Gases *By A. G. Webster* 286

The Relative Adsorption of Mixtures of Oxygen and Nitrogen in Cocoanut Shell Charcoal *By Harvey B. Lemon and Kathryn Blodgett* 289

Variations, Due to Heat Treatment, in the Rate of Adsorption of Air by Cocoanut Shell Charcoal *By Harvey B. Lemon* 291

The Interferometry of Rapid Vibrations Chiefly in Relation to Telephone Currents *By C. Barus* 331

On the Pressure Variation of Specific Heat of Liquids *By C. Barus* 340

A Comparison of Certain Electrical Properties of Ordinary and Uranium Lead *By P. W. Bridgman* 351

Radiation from a Moving Magneton *By H. Bateman* 367

Rotating Projectiles from Smooth-Bore Guns *By C. G. Abbot* 386

PAGE

MEANS OF MEASURING THE SPEED OF PROJECTILES IN FLIGHT ..... *By C. G. Abbot* 388
A VAPOR-FREE VACUUM SEAL ..... *By A. H. Pfund* 521
THE DISPLACEMENT OF THE GRAVITATING NEEDLE IN ITS DEPENDENCE ON ATMOSPHERIC TEMPERATURES ..... *By Carl Barus* 547
RADIATIONLESS ORBITS ..... *By Edwin Bidwell Wilson* 588
THE EFFECT UPON THE ATOM OF THE PASSAGE OF AN ALPHA RAY THROUGH IT *By R. A. Millikan, V. H. Gottschalk and M. J. Kelly* 591

CHEMISTRY

THE INORGANIC CONSTITUENTS OF LOBSTER SHELLS ..... *By Frank Wigglesworth Clarke and George Steiger* 6
THE TERNARY SYSTEM CaO-MgO-SiO_2 ..... *By J. B. Ferguson and H. E. Merwin* 16
ON SOME METALLIC DERIVATIVES OF ETHYL THIOGLYCOLLATE *By Charles A. Rouiller.* 145
AN ELECTROMAGNETIC HYPOTHESIS OF THE KINETICS OF HETEROGENEOUS EQUILIBRIUM, AND OF THE STRUCTURE OF LIQUIDS ..... *By William D. Harkins* 152
HYDROGEN OVERVOLTAGE ..... *By Duncan A. MacInnes and Leon Adler* 160
THE STRUCTURE OF ATOMS AND THE OCTET THEORY OF VALENCE ..... *By Irving Langmuir* 252
SOME APPLICATIONS OF THE VARIATION OF HYDROGEN OVERVOLTAGE WITH THE PRESSURE ..... *By D. A. MacInnes and W. A. Contieri* 321
ETHYLENE CHLORHYDRIN ..... *By M. Gomberg* 424
STUDIES OF THE CONSTITUTION OF STEEL ..... *By Edward D. Campbell* 426
INFLUENCE OF IONS ON THE ELECTRIFICATION AND RATE OF DIFFUSION OF WATER THROUGH MEMBRANES ..... *By Jacques Loeb* 440
THE OZONE FORM OF HYDROGEN ..... *By Gerald L. Wendt* 518
THE CHANGE OF MOLECULAR KINETIC ENERGY INTO MOLECULAR POTENTIAL ENERGY: THE ENTROPY PRINCIPLE AND MOLECULAR ASSOCIATION ..... *By William D. Harkins* 539
NEW MEASUREMENTS OF THE VAPOR PRESSURE OF MERCURY ..... *By Alan W. C. Menzies* 558
COHESION, INTERNAL PRESSURE, ADHESION, TENSILE STRENGTH, TENSILE ENERGY, AND MOLECULAR ATTRACTION ..... *By William D. Harkins* 562
THE ADHESION BETWEEN MERCURY, WATER, AND ORGANIC SUBSTANCES, AND THE FUNDAMENTAL PRINCIPLES OF FLOTATION ..... *By William D. Harkins* 569
METALLIC SALTS OF PYRROL, INDOL AND CARBAZOL ..... *By Edward C. Franklin* 580

GEOLOGY AND PALEONTOLOGY

ON SOME FUNDAMENTALS OF PRE-CAMBRIAN PALEO-GEOGRAPHY. *By Rudolph Ruedemann* 1
THE PERCENTAGE NUMBER OF METEORITE FALLS AND FINDS CONSIDERED WITH REFERENCE TO THEIR VARYING BASICITY ..... *By George P. Merrill* 37
FALKLANDIA ..... *By J. M. Clarke* 102
SEVENTEEN SKELETONS OF MOROPUS; PROBABLE HABITS OF THIS ANIMAL ..... *By Henry Fairfield Osborn* 250
PALÆMASTODON, THE ANCESTORS OF THE LONG-JAWED MASTODONS ONLY ..... *By Henry Fairfield Osborn* 265
DISCOIDAL STRUCTURE OF THE LITHOSPHERE ..... *By Bailey Willis* 377

BOTANY

THE CAUSE OF PROLIFERATION IN BEGONIA PHYLLOMANIACA ..... *By Erwin F. Smith* 36
BUD VARIATION ..... *By A. B. Stout* 130
THE GROWTH RATE OF AN ANNUAL PLANT HELIANTHUS. *By H. R. Reed and R. H. Holland* 135
SOME ORIENTING EFFECTS OF MONOCHROMATIC LIGHTS OF EQUAL INTENSITIES ON FUCUS SPORES AND RHIZOIDS ..... *By Annie May Hurd* 201
PHENOMENA OF CELL DIVISION IN THE CAMBIUM OF ARBORESCENT GYMNOSPERMS AND THEIR CYTOLOGICAL SIGNIFICANCE ..... *By Irving W. Bailey* 283

ZOOLOGY

PAGE

FLAGELLATE AFFINITIES OF TRICHONYMPHA *By Charles Atwood Kofoid and Olive Swezy* 9
RESTORATION OF VITALITY THROUGH CONJUGATION ..... *By Gary N. Calkins* 95
THE EFFECT OF TRANSPLANTING LIMBS UPON THE FORMATION OF NERVE PLEXUSES AND THE DEVELOPMENT OF PERIPHERAL NEURONES ..... *By S. R. Detwiler* 324
ON THE ETHOLOGY OF CHITON TUBERCULATUS ..... *By W. J. Crozier and L. B. Arey* 496
THE NERVOUS ORGANIZATION OF A NUDIBRANCH ..... *By L. B. Arey and W. J. Crozier* 498

GENETICS

QUANTITATIVE RELATIONS BETWEEN CHROMATIN AND CYTOPLASM IN THE GENUS ARCELLA, WITH THEIR RELATIONS TO EXTERNAL CHARACTERS ..... *By R. W. Hegner* 19
IS THE ARRANGEMENT OF THE GENES IN THE CHROMOSOME LINEAR? ... *By W. E. Castle* 25
THE LINKAGE SYSTEM OF EIGHT SEX-LINKED CHARACTERS OF DROSOPHILA VIRILIS (DATA OF METZ) ..... *By W. E. Castle* 32
PIEBALD RATS AND THE THEORY OF GENES ..... *By W. E. Castle* 126
LINEAR ARRANGEMENT OF GENES AND DOUBLE CROSSING OVER *By Harold H. Plough* 167
THE SPATIAL RELATIONS OF GENES *By A. H. Sturtevant, C. B. Bridges, and T. H. Morgan* 168
INHERITANCE OF QUANTITY AND QUALITY OF MILK PRODUCTION IN DAIRY CATTLE *By W. E. Castle* 428
ARE THE GENES LINEAR OR NON-LINEAR IN ARRANGEMENT? ..... *By W. E. Castle* 500
ON VARIATION IN TARTARY BUCKWHEAT, FAGOPYRUM TATARICUM (L.) GAERTN. *By Jacob Zinn* 506
A BENIGN TUMOR THAT-IS HEREDITARY IN DROSOPHILA ..... *By Mary B. Stark* 573

PHYSIOLOGY AND PATHOLOGY

A COMPARISON OF WHITE AND COLORED TROOPS IN RESPECT TO INCIDENCE OF DISEASE *By Lt.-Col. A. G Love and Maj. C. B. Davenport* 58
CONGENITAL ARTERIO-VENOUS AND LYMPHATICO-VENOUS FISTULAE. UNIQUE CLINICAL AND EXPERIMENTAL OBSERVATIONS ..... *By William S. Halsted* 76
AN ANALYSIS OF THE RELATION BETWEEN THE TEMPERATURE AND THE DURATION OF A BIOLOGICAL PROCESS ..... *By Selig Hecht* 146
THE TEMPERATURE OF THE HUMAN SKIN ..... *By F. G. Benedict, W. R. Miles and Alice Johnson* 218
ON THE PROBLEM OF THE PRODUCTION OF FAT FROM PROTEIN IN THE DOG ..... *By H. V. Atkinson and Graham Lusk* 246
THE INFLUENCE OF DEGENERATION OF ONE VAGUS NERVE UPON THE DEVELOPMENT OF PNEUMONIA ..... *By S. J. Meltzer and Martha Wollstein* 493
THE EFFECT OF MILLING ON DIGESTIBILITY OF GRAHAM FLOUR ..... *By C. F. Langworthy and H. J. Deuel* 514
GROWTH AND REPRODUCTION IN FOWLS IN THE ABSENCE OF CAROTINOIDS AND THE PHYSIOLOGICAL RELATION OF YELLOW PIGMENTATION TO EGG LAYING *By Leroy S. Palmer* 582
ON THE EMBRYOLOGICAL BASIS OF HUMAN MORTALITY ..... *By Raymond Pearl* 593

ANTHROPOLOGY AND PSYCHOLOGY

ON THE MEAN AGE AT DEATH OF CENTENARIANS ..... *By Raymond Pearl* 83
THE ARCHAEOLOGY OF THE SOUTHWEST: A PRELIMINARY REPORT .... *By N. C. Nelson* 114

OFFICERS AND MEMBERS OF THE ACADEMY
NOVEMBER 10, 1919

OFFICERS OF THE ACADEMY

CHARLES D. WALCOTT, *President*

A. A. MICHELSON, *Vice-President* — GEORGE E. HALE, *Foreign Secretary*

F. L. RANSOME, *Treasurer* — C. G. ABBOT, *Home Secretary*

Additional Members of the Council

E. G. CONKLIN	RAYMOND PEARL	J. J. CARTY
A. A. NOYES	W. H. HOWELL	H. H. DONALDSON

MEMBERS OF THE ACADEMY

CHARLES GREELEY. ..... *Smithsonian Institution, Washington, D. C.*

HENRY L., U. S. A. ..... *23 Berkeley St., Cambridge, Mass.*

JOHN JACOB ..... *Johns Hopkins University, Baltimore, Md.*

WALTER SYDNEY ..... *Solar Observatory Office, Pasadena, Cal.*

N, ROBERT GRANT ..... *Lick Observatory, Mt. Hamilton, Cal.*

J. ASAPH ..... *American Museum of Natural History, N. Y. City*

JOSEPH S. ..... *Johns Hopkins University, Baltimore, Md.*

, LIBERTY HYDE ..... *Ithaca, N. Y.*

RD, E. E. ..... *Yerkes Observatory, Williams Bay, Wis.*

, CARL ..... *Brown University, Providence, R. I.*

R, GREGORY PAUL ..... *T. J. Coolidge Jr. Mem. Lab., Cambridge, Mass.*

A. GRAHAM ..... *1331 Connecticut Ave., Washington, D. C.*

ICT, FRANCIS GANO ..... *Nutrition Laboratory, Boston, Mass.*

OFF, GEORGE DAVID ..... *Harvard University, Cambridge, Mass.*

GILBERT AMES ..... *University of Chicago, Chicago, Ill.*

FRANZ ..... *Columbia University, New York City*

T, MARSTON TAYLOR ..... *Columbia University, New York City*

WOOD, B. B. ..... *Yale University, New Haven, Conn.*

, OSKAR ..... *Reichsgrafenstr, 10, Freiburg, Germany*

NER, JOHN C. ..... *Stanford University, California*

MAN, PERCY WILLIAMS ..... *Jefferson Phys. Lab., Cambridge, Mass.*

ON, NATHANIEL LORD ..... *New York Botanical Gardens, N. Y. City.*

TEAD, HENRY ANDREWS ..... *Yale University, New Haven, Conn.*

INS, GARY NATHAN ..... *Columbia University, New York City*

BELL, D. H. ..... *Stanford University, California*

BELL, WILLIAM W. ..... *Lick Observatory, Mount Hamilton, California*

ON, WALTER BRADFORD ..... *Harvard University, Cambridge, Mass.*

Y, JOHN J. ..... *Am. Telegraph and Telephone Co., N. Y. City*

LE, WILLIAM ERNEST ..... *186 Payson Road, Belmont, Mass.*

ELL, JAMES MCK. ..... *Garrison, N. Y.*

IBERLIN, THOMAS C. ..... *University of Chicago, Chicago, Ill.*

DLER, CHARLES F. ..... *Columbia University, New York City*