Q11
.A4I9
Ser.3
V.16
July-Dec.
1878

THE

AMERICAN JOURNAL

OF

SCIENCE AND ARTS.

EDITORS,

JAMES D. AND E. S. DANA, AND B. SILLIMAN.

ASSOCIATE EDITORS,

PROFESSORS ASA GRAY, WOLCOTT GIBBS AND
J. P. COOKE, JR., OF CAMBRIDGE,

PROFESSORS H. A. NEWTON, S. W. JOHNSON, G. J. BRUSH
AND A. E. VERRILL, OF NEW HAVEN,

PROFESSOR GEORGE F. BARKER, OF PHILADELPHIA.

THIRD SERIES.

VOL. XVI.—[WHOLE NUMBER, CXVI.]

Nos. 91—96.

JULY TO DECEMBER, 1878.

WITH EIGHTEEN PLATES.

NEW HAVEN: J. D. & E. S. DANA.
1878.

MISSOURI BOTANICAL
GARDEN LIBRARY

Tuttle, Morehouse & Taylor, Printers, New Haven.

CONTENTS OF VOLUME XVI.

NUMBER XCI.

Page

ART. I.—Contributions to Meteorology; by ELIAS LOOMIS. Ninth Paper. With Plates I, II and III, ... 1

II.—Acoustic Repulsion; by V. DVORAK, ... 22

III.—Artificial Crystals of Gold and Gold Amalgam; by A. H. CHESTER, ... 29

IV.—On a new and remarkable Mineral Locality in Fairfield County, Connecticut; with a description of several new species occurring there; by G. J. BRUSH and E. S. DANA. First Paper, ... 33

V.—On Dinitroparadibrombenzols and their Derivatives; by P. T. AUSTEN, ... 46

VI.—Effect of Temperature upon Atmospheric Electricity; by H. GOLDMARK, ... 52

VII.—A method of recording Articulate Vibrations by means of Photography; by E. W. BLAKE, Jr., ... 54

VIII.—Suggestions for a Telephonic Relay; by O. N. ROOD, 59

SCIENTIFIC INTELLIGENCE.

Chemistry and Physics.—Microphone of Hughes, 60.—Boiling Point of Sulphuric Acid of various strengths, LUNGE: Substitution of Sulphur for Oxygen in the Fatty Series. DUPRÉ, 63.—Synthesis of Oxindol, BAEYER: Aldehydines, a new Class of Bases, LADENBURG, 64.—Preparation and Properties of Invertin, BARTH, 65.—Occurrence of Allantoin and Hippuric acid in the Urine of a Dog, SALKOWSKI: Coloring Matter of the Shells of Birds' Eggs, LIEBERMANN: Chemistry in Space, 66.—Studies in Spectrum Analysis, by J. N. LOCKYER, 68.

Geology and Mineralogy.—Terrace Levels in Pennsylvania, by J. P. LESLEY, 68.—Cretaceous and Tertiary of Charleston, S. C., VOGDES. 69.—Yucatan Coral Reefs and Cuba elevated coral rock: Richmond Bowlder Trains, BENTON: Cleveland Shale in Delaware County, Ohio, by L. E. HICKS, 70.—Jurassic fossils in the Coast Range of British Columbia, 71.—Thesaurus Devonico-Carboniferus, 72.

Botany and Zoology.—Native Flowers and Ferns of the United States, by THOMAS MEEHAN, 72.—Monographia Metzgeriæ, LINDBERG: Bryineæ Acrocarpæ, LINDBERG: Ferns of Trinidad, A. FENDLER: Flora Brasiliensis, 74.—Monograph of the Genus Lilium, by H. S. Elwes, 75.—Beiträge zur Keimungsgeschichte der Schizæaceen, H. BAUKE: Aschenkrankheit und Blattflechenkrankheit der Citronenbäume, by F. VON THUMEN, 76.—Bulletin of the United States Geological and Geographical Survey of the Territories, 77.

Astronomy.—Observations of Comets made at the Sheffield Observatory of Yale College, by H. A. HAZEN and W. BEEBE, 77.

Miscellaneous Scientific Intelligence.—Japanese Earthquakes, HATTORI, 80.—American Association at St. Louis, Aug. 21, 81.—Catalogue of Scientific Serial Publications: Principles of Machine construction, by E. TOMKINS: Geological Survey of Victoria, by F. McCOY: Paleozoic fossils of New South Wales, by L. G. KONINCK: Mineralogische und petrographische Mittheilungen, G. TSCHERMAK: Marine Zoological Laboratories, 82.—Microscopical Society of San Francisco: Earthquake of the South American Coast felt at the Russian Observatory at Pulkowa: Probable Distribution of a Spider by the Trade Winds, H. C. McCOOK: Polymicroscope, 83.—The Telephone for Deaf Persons: New Works, 84.

NUMBER XCII.

Page

ART. IX.—Forest Geography and Archæology; by A. GRAY, 85
X.—Structure and Origin of Mountains; by J. LECONTE, 95
XI.—Occurrence of a Solid Hydrocarbon in the Eruptive Rocks of New Jersey; by I. C. RUSSELL, 112
XII.—On a new and remarkable mineral locality in Fairfield County, Connecticut; with a description of several new species occurring there; by G. J. BRUSH and E. S. DANA, 114
XII *bis*.—Transit of Mercury, May 5–6; by L. TROUVELOT, 124
XIII.—Discovery of a new Planet; by C. H. F. PETERS, 129
XIV.—"Indurated Bitumen" in cavities in the trap of the Connecticut valley, from the Report of J. G. PERCIVAL, 130

SCIENTIFIC INTELLIGENCE.

Chemistry and Physics.—Underground Temperatures, 132.—Law of Solid Volumes, SCHRÖDER: Flame Temperatures, ROSETTI, 135.—Production of Ozone, Hydrogen peroxide and persulphuric acid by Electrolysis, BERTHELOT: Polyiodides, JOHNSON, 136.—Ponsælion and Cyanone, THOMPSON: Atomic Weight of Gallium, BOISBAUDRAN, 137.—Hexoylene, prepared from Mannite, HECHT: Phytosterin, HESSE, 138.

Geology and Mineralogy.—Geological results of the Polar Expedition under Sir George Nares, 139.—Paleontological results of the same, 140.—Geological Survey of Pennsylvania, 142.—Eruptive copper-bearing rocks of Lake Superior, 143.—Rock Salt at Wyoming in Western New York: Wilcox Spouting Water-Well, C. A. ASHBURNER, 144.—Superficial Geology of British Columbia, 147.—Geological Survey of Canada, 148.—Fossil Fishes from the Trias of New Jersey and Connecticut: Stromatopora, 149.—Section of the Alps, etc.: Révue de Géologie, 150.—Terrains Crétacés et Tertiares: Sigillaria lepidodendrifolia Brgt., 151.—Flora Fossilis Helvetiæ and Flora Fossilis Arctica: Mineralogy and Lithology of New Hampshire: American Minerals, König, 152.—Rocks of Quincy: Ionite, S. PURNELL, 153.—Tridymite, 154.—Crystallization of Silica: Mineralogical Society of France: Analcite, 155.

Botany and Zoology.—Two new Fern-books, 155.—Catalogue of Phænogamous and Cryptogamous Plants, 156.—Native Flowers and Ferns in the United States: Zoological Distribution, and some of its difficulties, SCLATER, 157.—Corals of the Atlantic, 159.

Miscellaneous Scientific Intelligence.—Connecticut Academy of Arts and Sciences, 159.—National Microscopical Congress: Geographical Surveys west of the 100th Meridian, 161.—Vereinigten Staaten von Nord Amerika: Report upon Forestry, 162.—Bulletin of the Bussey Institution: The Speaking Telephone, etc.: The Naturalist's Directory: Fownes's Elementary Chemistry: Cincinnati Society of Natural History: Glaciers of the Western Himalayas, 163.—Total Solar Eclipse of July 29, 164.

Obituary.—Wm. M. Gabb: Baron von Bibra: A. von Ettingshausen, 164.

NUMBER XCIII.

Page

ART. XV.—On the Origin of Comets; by H. A. NEWTON, 165
XVI.—On the Animal of Millepora alcicornis; by WILLIAM NORTH RICE, 180
XVII.—Forest Geography and Archæology; by ASA GRAY, 183
XVIII.—Notes on Antimony Tannate; by ELLEN SWALLOW RICHARDS and ALICE W. PALMER, 196

Page

XIX.—Seleniocyanates; Electrolytic Estimation of Mercury; Specific Gravity Determinations; by F. W. Clarke,... 199
XX.—Notice of recent additions to the Marine Fauna of the Eastern coast of North America; by A. E. Verrill,... 207
XXI.—Positions of the Comet discovered by Mr. Lewis Swift; by C. H. F. Peters,... 215
XXII.—Waverly Group in Central Ohio; by L. E. Hicks,.. 621
XXIII.—On some Primordial Fossils from Southeastern Newfoundland; by J. F. Whiteaves,... 224
XXIV.—Solar Eclipse of July 29th, 1878; by H. Draper,.. 227
XXV.—Discovery of an Intra-Mercurial Planet; by James C. Watson,... 230
XXVI.—New Pterodactyl from the Jurassic of the Rocky Mountains; by O. C. Marsh,... 233

SCIENTIFIC INTELLIGENCE.

Descriptive Geology: by Arnold Hague and S. F. Emmons, 234.—Flora Australiensis: a Description of the Plants of the Australian Territory; by George Bentham, 237.—Flora of Mauritius and the Seychelles; a Description of the Flowering Plants and Ferns of those Islands; by J. G. Baker: Forest Flora of British Burma; by S. Kurz: The Apocynaceæ of South America; by John Miers, 239.—The Student's Flora of the British Islands; by Sir J. D. Hooker: Botany of Kerguelen Island: Ferns of North America; by Daniel C. Eaton: A Manual of the Anatomy of Invertebrated Animals; by Thomas H. Huxley, 240.—Manual of the Vertebrates of the Northern United States; by David S. Jordan: The Structure and Habits of Spiders; by J. H. Emerton: First Annual Report of the United States Entomological Commission, for the year 1877, relating to the Rocky Mountain Locust: On the young stages of Osseous Fishes; by Alexander Agassiz, 241.—Results of the Recent Eclipse; by C. A. Young, 242.—Institute of France: Annual Meeting of German Naturalists and Physicists, 246.

NUMBER XCIV.

Page

Art. XXVII.—Morphological Laws of the Configurations formed by Magnets floating vertically and subjected to the attraction of a superposed magnet; by A. M. Mayer, 247
XXVIII.—On the presence of Dark Lines in the Solar Spectrum, which correspond closely to the lines of the Spectrum of Oxygen; by John Christopher Draper,... 256
XXIX.—Correction for Vacuum in Chemical Analysis; by G. F. Becker,... 265
XXX.—On the composition of the new Meteoric Mineral Daubréelite; by J. Lawrence Smith,... 270
XXXI.—On the Artificial Mounds of Northeastern Iowa, and the evidence of the employment of a Unit of Measurement in their erection; by W. J. McGee,... 272
XXXII.—Observations upon the Solar Eclipse of July 29, 1878; by C. A. Young,... 279
XXXIII.—On a cause for the appearance of Bright Lines in the Solar Spectrum; by Raphael Meldola,... 290

Page

XXXIV.—On the Explosion of the Flouring Mills at Minneapolis, Minnesota, May 2, 1878, and the causes of the same; by S. F. PECKHAM, ... 301
XXXV.—On Bárcenite, a new Antimonate, from Huitzuco, Mexico; by J. W. MALLET, ... 306
XXXVI.—On the Intra-Mercurial Planets; J. C. WATSON, .. 310
XXXVII.—Letter from Mr. Lewis Swift, relating to the discovery of Intra-Mercurial Planets, ... 313

SCIENTIFIC INTELLIGENCE.

Chemistry and Physics.—On the Determination of high Melting and Boiling Points, CARNELLEY, 315.—On the Vapor Density of Thallous chloride and Lead chloride, ROSCOE: On the Action of Steam on ignited Charcoal, LONG, 316.—On the Reduction-product of Gum Elemi by Zinc-dust, CIAMICIAN: On the Constitution of Starch, MUSCULUS and GRUBER, 317.—Synthesis of Indigo-blue, BAEYER, 318. On Anthrarufin, a third Dioxyanthraquinone, SCHUNCK and ROEMER: On a Fluorescein-carbonic acid, SCHREDER, 319.—On new Coloring Matters, as Malachite green, DOEBNER: Electrolytic methods of determining lead, copper, zinc and nickel: Alcoholic Fermentation, 320.—Vapor of Chloral Hydrate, 321.—Solubility of Lime in Water, 322.—Oxygen in Metallic Silver, 323.

Geology and Mineralogy.—Occurrence of Fossiliferous Tertiary Rocks on the Grand Bank and George's Bank, A. E. VERRILL, 323.—On Liquid Carbonic acid in Syenite, G. W. HAWES.

Botany and Zoology.—Monographiæ Phanerogamarum Prodromi nunc continuatio, nunc revisio, ALPHONSO et CASIMIR DECANDOLLE, 325.—The Flora of British India, J. D. HOOKER: Blüthendiagramme [Flower-diagrams] construirt und erläutert, A. W. EICHLER, 326.—Repertorium Annuum Literaturæ Periodicæ, G. BOHNENSIEG et W. BURCK: Synopsis of the Genus Aquilegia, J. G. BAKER, 327.—Note on the Reëstablishment of Forests, C. A. WHITE: Entomological Contributions, J. A. LINTNER, 328.

Astronomy.—Observation of the new planet (189), C. H. F. PETERS: Annals of the Harvard College Observatory, 329.

Miscellaneous Scientific Intelligence.—American Association, 329.—Pennsylvania Geological Survey, 332.—Meeting of the British Association: A new form of Telephone, A. F. DELAFIELD, 333.—*Obituary.*—Rev. W. B. CLARKE, 334.

NUMBER XCV.

Page

ART. XXXVIII.—Some points in Lithology; by J. D. DANA, 335
XXXIX.—Spectrum of the Corona; by W. T. SAMPSON, ... 343
XL.—Reticulated Forms of Sun's Surface; by E. S. HOLDEN, 346
XLI.—Observations of Bright Meteors; by E. F. SAWYER, .. 348
XLII.—General Ocean Circulation; by WYVILLE THOMSON, . 349
XLIII.—Notes on Antimony Tannate; by E. S. RICHARDS and A. W. PALMER, ... 361
XLIV.—Pseudomorph after Anorthite, from Franklin, N. J.; by W. T. RŒPPER, ... 364
XLV.—Relative Agency of Glaciers and Sub-Glacial Streams in the Erosion of Valleys; by W. H. NILES, ... 366
XLVI.—Marine Fauna of the eastern coast of North America; by A. E. VERRILL, ... 371
XLVII.—Discovery of two new Planets; by C. H. F. PETERS, 379
XLVIII.—The Sonorous Voltameter; by T. A. EDISON, ... 379
XLIX.—Principal Characters of American Jurassic Dinosaurs; by O. C. MARSH. Part I. With seven Plates, ... 411

SCIENTIFIC INTELLIGENCE.

Chemistry and Physics.—Behavior of Hydrogen peroxide with the Alkalies, SCHÖNE, 380.—Series of Magnetic Compounds having the Formula $R''Fe_2O_4$, LIST: On the Copper-zinc couple and on Nascent Hydrogen, GLADSTONE and TRIBE, 381.—Action of Nitrous acid on Unsaturated Hydrocarbons, TÖNNIES: Production of Methyl Aldehyde, HOFMANN, 382.—Determination of Phenol volumetrically, DEGENER: Vanillin in Gum Benzoin from Siam, JANNASCH and RUMP: Alkaloids of the Aconites, WRIGHT and LUFF, 383.—Supposed new element Mosandrum, SMITH: Specific Heat of Glucinum, 384.—Photometric Measurements of Electric Lights, ABNEY, 385.—A new Electric Lamp, REYNIER: Strength of the Electric Telephonic Currents, BOSSCHA, 386.—Hypothesis of a change of climate through changes in the obliquity of the ecliptic, CROLL, 387.—Cause of the cold of a Glacial era, CROLL, 389.—Scientific Memoirs, by J. W. DRAPER, 390.—Elements of Dynamic, by W. K. CLIFFORD, 391.—Sound, by A. M. MAYER: Contribution to the History of Spectrum Analysis, BECKER, 392.

Geology and Mineralogy.—Oil-well Records in the Northern or Bradford Oil regions, Penn., ASHBURNER, 393.—Region of the Great Lakes, MAW, 394.—Occurrence in North America of rare Extinct Vertebrates found fragmentarily in England, OWEN: The Erupted Rocks of Colorado, ENDLICH: Analyses of Saussurites, 395.—On Leucoxene in the N. Hampshire Diorites, HAWES, 396.—Association of Pyroxene and Hornblende, HAWES: Die Mineralien sammlung der Kaiser-Wilhems-Universität Strassburg, GROTH, 397.—Mineralogische und Petrographische Mittheilungen, TSCHERMAK: Brief notices of recently described minerals, 398.—Geology of New Hampshire, 399.—Manual of Mineralogy, DANA, 401.

Botany and Zoology.—Ueber apogame Farne und die Erscheinung der Apogamie im allgemeinen, DE BARY, 401.—TODARO, Relazione sulla Cultura dei Cotoni in Italia: Native Flowers and Ferns of the United States, 403.—Der Zoologische Anzeiger, 405.—Borings of a Sponge in Italian Marble, VERRILL: Ophiuridæ and Astrophytidæ of the Challenger Expedition: Pycnogonida of New England, WILSON: U. S. National Museum, 406.—Hydroida collected during the exploration of the Gulf Stream, ALLMAN, 407.

Miscellaneous Scientific Intelligence.—Report on Bridging of the River Mississippi, WARREN: Translation of Weisbach's Mechanics, 407.—Report of the Survey of the Connecticut River, WARREN, 408.—Report of the Superintendent of the Coast Survey: Report of the Trustees of the Peabody Museum: A History of the Growth of the Steam Engine, THURSTON: Elementary Quantitative Analysis, CLASSEN: American Quarterly Microscopical Journal, 409.—*Obituary.*—Thomas Belt: E. v. Asten: M. E. Quetelet: Thomas Grubb: Aug. H. Peterman, 410.

NUMBER XCVI.

Page

ART. L.—Valley of the Minnesota River and of the Mississippi River to the junction of the Ohio: its origin considered; by G. K. WARREN. With eight Plates, ... 417

LI.—On some points in Lithology; by J. D. DANA, ... 431

LII.—On the Equilibrium of Heterogeneous Substances; by J. W. GIBBS, ... 441

LIII.—Anatomical Peculiarity by which Crania of the Mound-builders may be distinguished from those of the Modern Indians; by W. J. MCGEE, ... 458

LIV.—Limits of Hypotheses regarding the Properties of the Matter composing the Interior of the Earth; by HENRY HENNESSEY, ... 461

LV.—Discoveries in Western Caves; by H. C. HOVEY, ... 465

LVI.—The Chinese Official Almanac; by M. HARRINGTON, ... 472

SCIENTIFIC INTELLIGENCE.

Chemistry and Physics.—Determination of Carbonic Acid in Mineral waters, BORCHERS, 477.—Ultramarines of various metals, DEFORCRAND and BALLIN: Chrome Steel, BOUSSINGAULT, 478.—Etherification of the Primary Alcohols, MENSCHUTKIN: Preparation of Allyl Bromide, GROSHEINTZ, 479.—New Method of preparing Aldehydines, LADENBURG: Constituents of Corallin, ZULKOWSKY: New Organic Base in the Animal Organism, SCHREINER: Persulphuric Oxide S_2O_7, BERTHELOT, 480.—Acoustic Repulsion, 481.—Sand Filter, W. G. LEVISON, 482.

Geology and Mineralogy.—History and value of the term "Hudson River Group," in American Geological Nomenclature, J. HALL: Paleontological Report of the Princeton Scientific Expedition, 482.—The Ancient Life-history of the Earth: Manual of Mineralogy and Lithology, 483.

Botany and Zoology.—Shortia glacifolia re-discovered, 483.—Amount of Sugar contained in the Nectar of various Flowers, A. S. WILSON: Absorption compared with transpiration, 485.—On the causes of the abnormal shapes of plants grown in the dark: Cryptogamic Flora of Silesia, Algæ, O. KIRCHNER, 486.—New York State Museum of Natural History, Report of the Botanist: Ferns of North America, 487.—Sarracenia purpurea: Professor Alexander Agassiz's Zoological Laboratory at Newport, R. I. 488.

Miscellaneous Scientific Intelligence.—Report on the Arid Region of the United States, with a more detailed account of the lands of Utah, 489.—United States Geological Exploration of the Fortieth Parallel, CLARENCE KING: Annual Report of the Board of Regents of the Smithsonian Institution for the year 1877: The late Professor Henry, 490.

Obituary.—M. Delafosse, 490.

ART. VII.—*A method of recording Articulate Vibrations by means of Photography;* by E. W. BLAKE, Jr., Hazard Professor of Physics, Brown University.

THE extreme minuteness of the vibrations of the iron disc of the Bell telephone withdraws them from all ordinary methods of observation and measurement. A pointed wire fastened to the center of a ferrotype disc $2\frac{3}{4}$ inches in diameter, and moving on smoked glass, gave $\frac{1}{50}$ inches as the extreme amplitude of vibration under a powerful impulse of the voice, while sounds moderated to such a point as to be fairly articulate, were with difficulty detected by the movement which they communicated.

Animal membranes, possessing greater flexibility than the metal disc, seemed to promise better results, but the inertia of the attached wire, and the resistance offered by the smoked surface, become of importance, and throw doubt on the accuracy of the results obtained. Dr. Clarence J. Blake employs the human *membrana tympani* as a logograph,* and has obtained very beautiful and interesting tracings. I find by examination of some, which he kindly sent me, that the number of vibrations as recorded falls considerably below the ordinary pitch of the voice, being in some cases as low as 80 per second.

The logograph described by W. H. Barlow, F.R.S., in a paper read before the Royal Society,† serves to record the varying pressures of the expelled air taken as a whole. With a single exception the diagrams give no suggestion of the *musical* character of the sounds. The width of the line drawn by a camel's hair brush and the slow movement of the paper would mask the minute vibrations even if the apparatus were otherwise adapted to showing them.

The opeioscope, invented by Professor A. E. Dolbear, consisting of a tense membrane, to the center of which a small mirror is attached, is well adapted to proving the existence of musical vibrations in human speech, but not to determining their character.

The phonograph of Mr. Edison records on tin-foil enough of the vocal elements to reproduce intelligible articulation. The minute indentations are therefore a record of great scientific value. In the hands of Mr. Fleeming Jenkin they promise to lead to valuable results‡ in the analysis of vocal sounds.

Dr. S. Th. Stein§ described in 1876 a method of photograph-


* Archives of Opthalmology and Otology, vol. v, No. 1, 1876.
† Reprinted in the Popular Science Review, London, July, 1874.
‡ Nature, May 9th, 1878. Article on Phonograph by Mr. J. Ellis.
§ Poggendorff's Annalen, Bd. clix, S. 142.

ing the vibrations of tuning forks, strings, &c., by attaching to them plates of blackened mica punctured with small holes. A beam of sunlight passing through the hole strikes a sensitive plate moving with uniform velocity, and leaves a permanent record of the combined motions. Dr. Stein considers his method applicable to *vocal* sounds, but I cannot learn that he has ever attempted this application. My own experiments in that direction by Stein's method resulted in failure.

The object of this paper is to describe a method of obtaining photographs of minute vibrations on a magnified scale.

A plane mirror of steel, A, is supported by its axis in the metal frame B. The ends of the axis are conical, and carefully fitted into sockets in the ends of the screws C, C. On the back of the mirror is a slight projection D pierced by a small hole.

The vibrating disc, as hitherto employed, is a circular plate of ferrotype iron, $2\frac{3}{4}$ inches in diameter, screwed to the back of a telephone mouth-piece of the form invented by Professor John Peirce, and now universally used. From the center of the back of this disc a stiff steel wire projects, the end of which is bent at a right angle. This wire serves to connect the vibrating disc with the mirror by hooking into the hole in D, as represented in the figure. The mirror frame and the vibrating disc are kept in a fixed relation to each other by a block of hard wood, to which both are firmly screwed. The mirror is set with its axis parallel, and its reflecting surface perpendicular, to the vibrating disc.



Back view of Mirror, actual size.

A heliostat sends a beam of sunlight horizontally through a small circular opening. This beam passes into a dark closet and at a distance of several feet from the circular opening falls upon the mirror above described placed with its axis inclined 45° to the horizon. The rays, reflected vertically downward, pass through a lens at whose focus they form an intensely luminous image of the circular opening.

A carriage moving smoothly on four wheels travels beneath the lens at such a distance that the sensitized plate laid upon it comes at the focus for actinic rays. A uniform velocity is given to the carriage by a string fastened to it and passing over a pulley. To this string a lead weight, just sufficient to balance friction, is permanently attached, while a supplemental weight acts at the beginning of motion and is removed just before the sensitized plate reaches the spot of light above described.

The velocity attained by the carriage is determined by placing a sheet of smoked glass upon it and letting it run under a

tuning fork (Ut 3—512 v. s.) provided with a pointed wire. In every case more than 200 vibrations were counted and measured, and careful comparisons made between the earlier and later ones, so as to be certain of the uniformity of the motion.

From the description it will be evident, that when the carriage alone is in motion a straight line will be photographed upon the plate. On speaking into the mouth-piece the disc is set in vibration, each movement causing change of angular position of the mirror, the reflected light moves through twice this angle, and the resulting photograph gives us the combination of its motion with that of the carriage.*

The general character of the curves obtained is shown in the accompanying figures, which are about one-half (0·56) the actual size of the originals. The reduction was accomplished by photography on the wood itself, so that the skill of the engraver was employed simply to follow the lines, which he has done with great fidelity.

The velocity of the carriage for the vowel-sounds was $21\frac{1}{2}$, for *Brown University*, 40, and for *How do you do*, 14 inches per second.

In the mathematical discussion of these curves the abscissas are measured by the known velocity of the carriage, and serve to determine the *pitch*, the ordinates represent the amplitude of vibration of the center of the disc, magnified 200 times in the photographs. The reduction of scale makes the magnifying in the wood-cuts only 112 times.


The ordinates are not strictly straight lines, but parts of the vertex of a parabola, and closely approximate to circular arcs whose radius is the focal length of the lens employed.† In the figures given, the centers of curvature of these arcs is at the right hand.


With an ordinary tone of voice an amplitude of nearly an inch is obtained, implying a movement of the center of the disc of ·005 inches as determined by actual measurement.

By varying the accelerating weight and its fall, any manageable velocity may be given to the carriage. Each syllable requires for its articulation about one-fourth of a second, hence

* The carriage should run from *right* to *left*. The negative (examined from the *gluss* side), and prints taken from it, then give the syllables in their proper order, and show movements of the disc from the speaker by lines going from the observer. The arrangement of my dark room compelled me to make my carriage move from *left* to *right;* hence, in the figures given, forward positions of the disc are represented by the lower portions of the curves.

† It can easily be shown that the reflected beam describes the envelope of a cone, whose apex has an angle of 90°, and whose axis is inclined 45°. The intersection of this cone with the horizontal plane gives the parabola. The lens employed transfers the apex to its own optical center. The ordinates may be made practically straight lines by placing the mirror with its axis vertical so as to reflect the beam *almost* directly back on its path, and having the sensitized plate move up and down in a vertical plane.


AH
AY
E (LONG, ENGLISH)
I (ENGLISH)
O
U (OO)


BROWN
U
NI
VER
SI
TY
HOW
DO
YOU
DO

the plates must be quite long when the velocity is great. I employ plates two feet in length, and find that velocities from 16 to 40 inches per second give good results. The action of the light is however inversely as the velocity. To compensate for this, the size of the circular opening admitting the light may be increased. This, of course, causes an enlargement of the luminous image, and apparently involves an injurious widening of the line traced, but, as observed by Dr. Stein in his experiments, the effect of velocity is to narrow the line photographed, since the maximum exposure is in that diameter of the circular image which lies in the line of motion. This is a great advantage, since a variation of velocity in the vibration is marked by the widening of the line, often more clearly than by the form of the curve.

I have employed the ordinary photographic process, not attempting to obtain special sensitiveness. The brightest sunlight is required, a slight haziness interfering seriously with the result. My heliostat employs two reflectors of ordinary looking-glass, and the loss of light is considerable.

To guide those who may wish to try this method I add the following measurements:

Diameter of circular opening	$\frac{3}{4}$ $\frac{7}{16}$ inches.*
Distance of mirror from circular opening	28 feet.
Distance of mirror from photographic plate	$11\frac{1}{2}$ inches.
Focal length of lens	$9\frac{1}{4}$ inches.
Size of steel mirror	0·46x0·34 inches.
Weight of steel mirror	0·065 gram.

The question naturally arises whether the mirror may not so interfere with the vibrating disc as to destroy its articulation. The telephone gives a direct answer and banishes the doubt. The mirror was attached in the manner already described to the disc of a telephone, and the instrument showed itself still perfectly capable of 'sending,' and 'receiving,' without noticeable loss of clearness or quality.

Are *all* the audible elements of speech traceable in these records? in other words, is the record complete? I am not prepared as yet to answer this question definitely, but the following experiment leads me to doubt whether an affirmative answer can be given, while at the same time it illustrates in a striking manner the sensitiveness of the ear. The mirror was attached to the disc of a *receiving* telephone and a photograph taken from it while the instrument was talking audibly. The resulting record was almost a smooth line, showing but very slight indications of movement of the mirror. It would therefore, appear that there are distinctly audible elements, which

* Depending on velocity required, and on actinic intensity of the light.

are too minute to be recorded by this method. It is to be noted, however, that the width of the line traced where the vibrations are extremely small, is so great as to mask the curvature, so that the experiment just cited is not entirely fair.

The clearness and beauty of the curves obtained can hardly be appreciated without inspection of the originals. Their complexity and variety open a large field for investigation, and they seem to offer the means of analysis of articulate speech.

Art. VIII.—*Suggestions for a Telephonic Relay;* by Professor O. N. Rood.

After reading an account of the experiments of Mr. Hughes,* which may be regarded as an extension of the work of Edison, it occurred to me that the peculiar property of carbon, upon which they depend, might be utilized in the construction of a telephonic relay. I accordingly arranged three pieces of carbon in the form of an H, attaching the two outside pieces to the diaphragm of an ordinary telephone; this, with a battery, was destined to act as relay and re-transmitter. The first circuit included, then, a common telephone as sender, and the coil of the relay; the second included battery, vibrating carbon, and a common telephone used as a receiver. It was found that the vibrations of the pivots of the central piece of carbon were indeed able to modulate an electric current, so as to reproduce with somewhat diminished intensity sounds uttered in the sending telephone. Eight small vibrating carbons were now substituted for the single piece, and the reproduction was effected without loss of intensity or distinctness. The battery used with the relay consisted of eight small cells of zinc and carbon placed in diluted sulphuric acid only. For a relay to be efficient it is of course necessary that it should increase the loudness of the sounds so as to allow for electrical re-transmission to a more distant station; this can probably be effected, 1st, by making the telephonic relay of such dimensions that six or eight carbons can be placed approximately over the center of the iron diaphragm, and 2d, by using simultaneously several of these pieces of apparatus in the same circuit.

An arrangement like Hughes's microphone was also employed as sending instrument; an inverted coverless cigar box was used, on which I placed three vibrating carbons instead of a single one. The multiplication of the carbons was due to a suggestion of Dr. W. Gibbs, who at the time proposed various

* Nature, May 16, 1878.